



Bayer CropScience LP  
P.O. Box 12014  
2 T.W. Alexander Drive  
Research Triangle Park, North Carolina 27709  
1-866-99BAYER (1-866-992-2937)

Sivanto 200 SL  
EPA Reg. No. 264-1141

For suppression of Citrus Thrips  
(*Scirtothrips citri*) in Citrus.

## PRODUCT BULLETIN

**FOR DISTRIBUTION AND USE ONLY IN THE STATES OF ALABAMA, ALASKA, ARIZONA, CALIFORNIA, COLORADO, DELAWARE, DISCTRICT OF COLUMBIA, FLORIDA, GEORGIA, IDAHO, ILLINOIS, INDIANA, IOWA, KANSAS, KENTUCKY, LOUISIANA, MAINE, MASSACHUSETTS, MICHIGAN, MISSISSIPPI, MISSOURI, MONTANA, NEBRASKA, NEVADA, NEW JERSEY, NORTH CAROLINA, NORTH DAKOTA, OHIO, OKLAHOMA, OREGON, PENNSYLVANIA, RHODE ISLAND, SOUTH CAROLINA, SOUTH DAKOTA, TENNESSEE, UTAH, VERMONT, VIRGINIA, WASHINGTON, WEST VIRGINIA, WISCONSIN AND WYOMING**

**FIFRA Section 2(ee) Recommendation:** This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or accepted by the U.S. Environmental Protection Agency. This product bulletin should be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### CITRUS

**Crops of Crop Group 10-10 Including:** Calamondin, Citrus citron, Citrus hybrids (Citrus spp., Eremocitrus spp., Fortunella spp., Microcitrus spp., and Poncirus spp.), Grapefruit (including Japanese summer), Kumquat, Lemon, Lime, Lime (Sweet, Australian desert, Australian finger, Australian round, Brown River finger, Mount White, New Guinea wild, Russell River, Tahiti), Mandarin (Mediterranean, Satsuma), Orange (sour, sweet, Tachibana, Trifoliata), Pummelo, Tangelo, Tangerine [includes Tangerine (mandarin or mandarin orange), Clementine, Mediterranean mandarin, Satsuma mandarin, Tangelo, Tangor, cultivars and varieties], Tangor, Uniq fruit, and cultivars, varieties and/or hybrids of these commodities.

Pest Suppressed	Product Rate (fl oz/A)
Citrus thrips - <i>Scirtothrips citri</i>	10.5 – 14.0

#### Foliar Application Restrictions:

Pre-Harvest Interval (PHI): **3 days**

Minimum interval between applications: **7 days**

Minimum application volumes: **25 gallons/Acre** (Ground); **2 gallons/Acre** (Aerial)

Maximum SIVANTO 200 SL allowed per year: **28.0 fluid ounces/Acre** (0.365 lb AI/Acre).

For **MEDICAL** And **TRANSPORTATION** Emergencies **ONLY** Call 24 Hours A Day 1-800-334-7577

For **PRODUCT USE** Information Call 1-866-99BAYER (1-866-992-2937)

As with any crop-protection product, always read and follow label directions.

For additional information call toll-free 1-866-99BAYER (1-866-992-2937)

Sivanto is a trademark of Bayer.