

July 14, 2023

DOC ID 588102

New York State Department
of Environmental Conservation
Division of Materials Management
Pesticide Product Registration

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE Keep from freezing. Store in ventilated areas inaccessible to children and pets. Do not pour or dispose down-the-drain or sewer. **PESTICIDE DISPOSAL** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. Call your local solid waste agency for local disposal options. **CONTAINER DISPOSAL** Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

ORGANISM LIST

Disinfection Performance: This product kills the following bacteria in 10 minutes on hard, non-porous surfaces: *Staphylococcus aureus* (ATCC 6538) *Pseudomonas aeruginosa* (ATCC 15442)
Virucidal* Performance: This product kills the following viruses in 10 minutes on hard, non-porous surfaces: Herpes Simplex Virus Type 2 (VR-734) SARS-CoV-2 Virus (SARS Coronavirus 2) (COVID-19 virus)
Fungicidal Performance: This product kills the following fungi in 10 minutes on hard, non-porous surfaces: *Trichophyton interdigitale* (ATCC 9533) (Athlete's foot fungus) (Ringworm fungus)

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on skin or clothing** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If inhaled:** Move person to fresh air. If person is not breathing call 911 or ambulance, then give artificial respiration, preferably by mouth to mouth, if possible. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Note to Physician Probable mucosal damage may contraindicate the use of gastric lavage.

HOT LINE NUMBERS

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact CHEMTEL-1-800-255-3924 for emergency medical treatment information.

USE RESTRICTIONS

- Do not apply this product in a way that will contact workers or other person, either directly or through drift. Only protected handlers may be in the application area during application.
- Do not enter or allow others to enter treated area until sprays have dried.
- Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. In the home, cover all food processing surfaces and utensils during treatment or thoroughly wash utensils before use. Cover exposed food and remove utensils in serving areas.
- Do not enter or allow others to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated.
- Remove pets, birds, and cover fish aquariums and ornamental fish ponds before spraying, and turn aquarium systems off.
- Do not allow to enter indoor or outdoor drains (No permita la entrada a desagues internos o externos).



STERI-FAB®

**BACTERICIDE • FUNGICIDE
MILDEWCIIDE • INSECTICIDE • DEODORANT
GERMICIDE • VIRICIDE***

STERI-FAB® IS EFFECTIVE AGAINST GRAM NEGATIVE AND GRAM POSITIVE AND ODOR CAUSING BACTERIA AS WELL AS INSECTS, FUNGUS, MOLD AND MILDEW.

BEFORE APPLYING STERI-FAB® MAKE SURE THAT NOZZLE IS SET AT FINE SPRAY.

ACTIVE INGREDIENTS:

3-PHENOXYBENZYL D-CIS AND TRANS *2,2-DIMETHYL-3-(2-METHYLPROPENYL) CYCLOPROPANECARBOXYLATE.....	0.22%
ISOPROPYL ALCOHOL.....	60.39%
DIDECYL DIMETHYL AMMONIUM CHLORIDE.....	0.114%
N-ALKYL (C14 50%, C12 40%, C16 10%)	
DIMETHYL BENZYL AMMONIUM CHLORIDE.....	0.076%

INERT INGREDIENTS:..... 39.20%

*D-CIS TRANS PHENOTHRIN

** CIS/TRANS ISOMER RATION: MAX .25%(+OR-) CIS MIN .75% (+OR-)TRANS
TOTAL..... 100.00%

Shake Well Before And During Use.

Keep Out Of Reach Of Children

WARNING

See First Aid Statements and other Precautions On Side Panels.

MADE IN U.S.A.

NOBLE PINE PRODUCTS CO.
Centuck Station • Yonkers, NY 10710 - 0041
NET CONTENTS 1 GALLON (128 FL. OZ.)

EPA EST. NO. 397-NY-01

EPA REG. NO. 397-13

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if absorbed through skin. Harmful if inhaled. Avoid contact with skin. Avoid breathing vapor or spray mist. Wear goggles or face shield, long sleeved shirt, long pants, socks, shoes and chemical-resistant gloves made of any waterproof material. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Personal Protective Equipment (PPE)

- Some materials that are chemically-resistant to this product are **barrier laminate, butyl, nitrile, neoprene, polyvinyl chloride (PVC), or Viton.**
- Applicators and other handlers must wear:
 - Goggles or face shield
 - Long sleeve shirts and long pants, and
 - Shoes plus socks.

User Safety Requirements

- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations

- User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- User should remove clothing PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to inter-tidal areas below the mean high water mark. See Directions for Use for additional precautions and requirements.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

Surfaces and objects must be cleaned of visible soil before treatment. Spray surfaces and articles until thoroughly wet and allow to remain visibly wet for at least 10 minutes. For indoor use in sites including hospitals, clinics, schools, residential homes, transportation facilities, nursing homes, municipal facilities, hotels, health clubs, gyms, restaurants, athletic facilities, offices, veterinary clinics, and institutional, commercial, and industrial sites. All insect pests must be sprayed directly.

Prior to use, test this product in an inconspicuous location for compatibility. This product may not be compatible with waxed surfaces such as waxed flooring and leather fabric.

- AS AN INSECTICIDE, BACTERICIDE, MOLD AND MILDEWICIDE, DEODORANT AND FUNGICIDE:** Spray surfaces and articles until thoroughly wet and allow to remain visibly wet for at least 10 minutes.
- TO KILL ROACHES, BEDBUGS (all life stages), ANTS AND SILVERFISH:** The infested areas should be sprayed thoroughly and repeatedly, directing the spray into all crevices, cracks, hiding places, seams, creases and folds. This product kills all life stages of bed bugs including adult, nymph, and eggs.
- TO KILL LICE AND LOUSE EGGS:** The infested areas should be sprayed thoroughly and repeatedly, directing the spray into all crevices, cracks, hiding places, seams, creases and folds.
- TO DEODORIZE AND CONTROL ODOR-CAUSING ORGANISMS ON CARPETS,** vacuum the carpet, rug, or mat to be treated. Then apply STERI-FAB® thoroughly to top and undersides of rugs and carpets and mats to kill odor-causing bacteria and fungi and allow to remain visibly wet for at least 10 minutes.
- TO KILL FLEAS AND TICKS:** The infested area should be sprayed thoroughly and repeatedly directing the spray into all animal quarters and surrounding areas. For best results remove and destroy old animal bedding prior to use. Do not spray animals. Animals should be treated with an appropriate flea and tick spray designed for their use before they reenter the treated area.
- TO KILL FLIES AND MOSQUITOES:** Aim nozzle and spray directly on as many of these pests as possible and in infested areas or on areas where they may congregate.
- TO KILL SOWBUGS, CENTIPEDES, SPIDERS, SCORPIONS, FIREBRATS AND MITES:** The infested area should be sprayed thoroughly and repeatedly directing the spray into all crevices, cracks and other hiding places.
- TO DEODORIZE RESTROOMS:** Clean visible filth from area to be treated. Apply STERI-FAB® on all hard, non-porous surfaces such as sinks, toilets, and bathtubs (avoiding contact with food and animals) until thoroughly wet and allow to remain visibly wet for at least 10 minutes.
- TO PROVIDE FOR BACTERIOSTATIC, FUNGISTATIC AND DEODORIZATION DURING RESTORATION PROCESSES:** Apply STERI-FAB® to all surfaces until thoroughly wet and allow to remain visibly wet for at least 10 minutes.
- TO DISINFECT ON PRE-CLEANED, NON-POROUS, NON-FOOD CONTACT SURFACES:** Clean gross filth from area to be treated. Apply STERI-FAB® to all hard, non-porous surfaces such as cabinets, walls, and doorknobs until thoroughly wet and allow to remain visibly wet for at least 10 minutes. The suggested quantities of STERI-FAB® when used as directed, furnishes good coverage on these surfaces providing for bacteriostatic and fungistatic values. Using a hand or power sprayer, keeping approximately one foot from surface to be sprayed, apply STERI-FAB® over all surfaces until thoroughly wet coverage is obtained. Be sure that all folds, creases, seams, etc., are also covered in this manner. Allow treated items to remain visibly wet for at least 10 minutes and then dry before using.

FOR BACTERIOSTATIC, FUNGISTATIC AND DEODORIZATION

- MATTRESSES (SURFACES):** Spray coverage varies from 4-8 ounces depending on size. Single bed and folding cot mattresses use 4-5 ounces of STERI-FAB®. Double bed mattresses use 6-8 ounces of STERI-FAB®.
- SOFAS-UPHOLSTERED CHAIRS (SURFACES):** Small sizes such as love seats use 4-5 ounces of STERI-FAB®. Regular size sofas use 6-8 ounces. Use 8 ounces of STERI-FAB® on convertible sofas.

FOR DISINFECTION OF NON-POROUS SURFACES

- FOR THE DISINFECTION OF NON-UPHOLSTERED CHAIRS, BED SPRINGS, AND FURNITURE (THOSE WITH NON-POROUS SURFACES),** apply STERI-FAB® to all surfaces until thoroughly wet and allow to remain visibly wet for at least 10 minutes.
- *TO KILL HERPES SIMPLEX TYPE 2:** on non-porous surfaces, apply STERI-FAB® until thoroughly wet coverage is obtained and allow to remain visibly wet for at least 10 minutes.
- TO KILL TRICHOPHYTON INTERDIGITALE, THE ORGANISM THAT MAY CAUSE ATHLETE'S FOOT FUNGUS,** apply STERI-FAB® to all suspected or contaminated non-porous hard surfaces until thoroughly wet and allow to remain visibly wet for at least 10 minutes.
- STERI-FAB® demonstrates rapid knockdown of mosquitoes, flies, ants, spiders, and scorpions within 5 minutes.
- This product is a broad-spectrum, hard non-porous surface disinfectant that has been shown to be effective against SARS-CoV-2 (COVID-19 virus).
- Effective against SARS-Related Coronavirus 2 (SARS-CoV-2) in 10 minutes on hard, non-porous surfaces.
- Kills SARS-CoV-2 virus (COVID-19 virus) on hard, non-porous surfaces.
- Kills 99.9% of SARS-CoV-2 virus (COVID-19 virus) in 10 minutes on hard, non-porous surfaces.