



# SAFETY DATA SHEET



## TALSTAR® N GRANULAR INSECTICIDE

Version 1.0      Revision Date: 02/13/2023      SDS Number: 50001733      Date of last issue: -  
Date of first issue: 06/21/2019

---

Hazard Statements : H370 Causes damage to organs.  
H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P307 + P311 IF exposed: Call a POISON CENTER or doctor/ physician.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

Very toxic to aquatic life with long lasting effects.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO <sub>2</sub> )	14808-60-7	>= 90 - <= 100
Bifenthrin	82657-04-3	0.2

### SECTION 4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.  
Show this safety data sheet to the doctor in attendance.  
Move out of dangerous area.

If inhaled : If symptoms persist, call a physician.  
If unconscious, place in recovery position and seek medical advice.

In case of skin contact : If on clothes, remove clothes.  
If on skin, rinse well with water.  
If skin irritation persists, call a physician.

In case of eye contact : If eye irritation persists, consult a specialist.

# SAFETY DATA SHEET



## TALSTAR® N GRANULAR INSECTICIDE

Version 1.0      Revision Date: 02/13/2023      SDS Number: 50001733      Date of last issue: -  
Date of first issue: 06/21/2019

---

- Keep eye wide open while rinsing.  
Protect unharmed eye.  
Remove contact lenses.  
Flush eyes with water as a precaution.
- If swallowed : Take victim immediately to hospital.  
If symptoms persist, call a physician.  
Never give anything by mouth to an unconscious person.  
Do not give milk or alcoholic beverages.  
Keep respiratory tract clear.
- Most important symptoms and effects, both acute and delayed : Causes damage to organs through prolonged or repeated exposure.  
Causes damage to organs.
- Notes to physician : It may be helpful to show this safety data sheet to physician.  
Treat symptomatically.
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical  
Foam  
Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Thermal decomposition can lead to release of toxic and irritating vapors.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Avoid breathing dust.  
Avoid dust formation.  
Use personal protective equipment.
- Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.  
Prevent further leakage or spillage if safe to do so.  
Prevent product from entering drains.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

# SAFETY DATA SHEET



## TALSTAR® N GRANULAR INSECTICIDE

Version 1.0      Revision Date: 02/13/2023      SDS Number: 50001733      Date of last issue: -  
Date of first issue: 06/21/2019

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Dispose of rinse water in accordance with local and national regulations.  
Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.  
Avoid contact with skin and eyes.  
Do not breathe vapors/dust.  
Avoid formation of respirable particles.
- Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Keep container tightly closed in a dry and well-ventilated place.
- Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Quartz (SiO <sub>2</sub> )	14808-60-7	TWA (Respirable dust)	0.05 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable)	10 mg/m <sup>3</sup> / %SiO <sub>2</sub> +2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO <sub>2</sub> +5	OSHA Z-3
		PEL (respirable)	0.05 mg/m <sup>3</sup>	OSHA CARC
kaolin	1332-58-7	TWA (Respirable particulate matter)	2 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Total)	10 mg/m <sup>3</sup>	OSHA P0

# SAFETY DATA SHEET



## TALSTAR® N GRANULAR INSECTICIDE

Version 1.0      Revision Date: 02/13/2023      SDS Number: 50001733      Date of last issue: -  
Date of first issue: 06/21/2019

		dust)		
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0

### Personal protective equipment

- Respiratory protection : In case of dust exposure wear suitable personal respiratory protection and protective suit.
- Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Tightly fitting safety goggles  
Eye wash bottle with pure water
- Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Dust impervious protective suit
- Hygiene measures : Wash hands before breaks and at the end of workday.  
When using do not smoke.  
When using do not eat or drink.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : granules
- Color : light tan
- Odor : musty
- Odor Threshold : No data available
- pH : 6.8 - 7.1
- Melting point/freezing point : No data available
- Boiling point/boiling range : Not applicable
- Flash point : No data available
- Self-ignition : No data available
- Upper explosion limit / Upper : No data available

# SAFETY DATA SHEET



## TALSTAR® N GRANULAR INSECTICIDE

Version 1.0      Revision Date: 02/13/2023      SDS Number: 50001733      Date of last issue: -  
Date of first issue: 06/21/2019

---

flammability limit

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.39 lb/scf

Bulk density : 50 - 53 lb/scf

Solubility(ies)

    Water solubility : No data available

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : No data available

    Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.  
Dust may form explosive mixture in air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents  
Strong acids and strong bases

Hazardous decomposition products : Carbon oxides

# SAFETY DATA SHEET



## TALSTAR® N GRANULAR INSECTICIDE

Version 1.0      Revision Date: 02/13/2023      SDS Number: 50001733      Date of last issue: -  
Date of first issue: 06/21/2019

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Result : No skin irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Result : No eye irritation

#### Respiratory or skin sensitization

##### Skin sensitization

Not classified based on available information.

##### Respiratory sensitization

Not classified based on available information.

#### Product:

Result : Not a skin sensitizer.

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Quartz (SiO<sub>2</sub>):

Genotoxicity in vitro : Test Type: reverse mutation assay  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test

# SAFETY DATA SHEET



## TALSTAR® N GRANULAR INSECTICIDE

Version 1.0      Revision Date: 02/13/2023      SDS Number: 50001733      Date of last issue: -  
Date of first issue: 06/21/2019

---

Species: Rat  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### **Bifenthrin:**

Genotoxicity in vitro : Test Type: gene mutation test  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Result: negative

Test Type: reverse mutation assay  
Metabolic activation: with and without metabolic activation  
Result: negative

Test Type: Mouse lymphoma assay  
Metabolic activation: with and without metabolic activation  
Result: negative

Genotoxicity in vivo : Test Type: Sex-linked Recessive Lethal Test  
Species: Drosophila melanogaster (vinegar fly)  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Species: Rat  
Method: OECD Test Guideline 486  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Product:**

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies

Weight of evidence does not support classification as a carcinogen, This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.

**IARC**      Group 1: Carcinogenic to humans  
kaolin      1332-58-7  
(Silica dust, crystalline)

**OSHA**      OSHA specifically regulated carcinogen  
Quartz (SiO<sub>2</sub>)      14808-60-7  
(crystalline silica)

**NTP**      Known to be human carcinogen  
kaolin      1332-58-7  
(Silica, Crystalline (Respirable Size))



# SAFETY DATA SHEET



## TALSTAR® N GRANULAR INSECTICIDE

Version 1.0      Revision Date: 02/13/2023      SDS Number: 50001733      Date of last issue: -  
Date of first issue: 06/21/2019

---

### Reproductive toxicity

Not classified based on available information.

### Components:

#### **Bifenthrin:**

- Effects on fertility : Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
General Toxicity Parent: NOAEL: 3 mg/kg bw/day  
General Toxicity F1: NOAEL: 5 mg/kg bw/day  
Result: negative
- Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 2.7 mg/kg bw/day  
Teratogenicity: NOAEL: 2.7 mg/kg bw/day  
Symptoms: Maternal effects.  
Result: No teratogenic effects.
- Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 1 mg/kg bw/day  
Teratogenicity: NOAEL: 2 mg/kg bw/day  
Result: No teratogenic effects.

### STOT-single exposure

Causes damage to organs.

#### Product:

- Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 1.

### STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### Product:

- Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

### Repeated dose toxicity

#### Components:

#### **Quartz (SiO<sub>2</sub>):**

- Species : Rat  
LOAEC : 0.0025 mg/l  
Application Route : Inhalation  
Exposure time : 90 day

# SAFETY DATA SHEET



## TALSTAR® N GRANULAR INSECTICIDE

Version 1.0      Revision Date: 02/13/2023      SDS Number: 50001733      Date of last issue: -  
Date of first issue: 06/21/2019

---

Method : OECD Test Guideline 413  
Target Organs : Lungs  
Remarks : Based on data from similar materials

### **Bifenthrin:**

Species : Rat, male and female  
NOEL : 100 ppm  
Application Route : Oral - feed  
Exposure time : 90 d  
Remarks : No toxicologically significant effects were found.

Species : Dog, male and female  
NOEL : 2.5 mg/kg bw/day  
Application Route : Oral - feed  
Exposure time : 13 w  
Symptoms : Tremors

### **Aspiration toxicity**

Not classified based on available information.

### **Components:**

#### **Bifenthrin:**

The substance does not have properties associated with aspiration hazard potential.

### **Further information**

#### **Product:**

Remarks : No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### **Components:**

##### **Quartz (SiO<sub>2</sub>):**

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 10,000 mg/l  
Exposure time: 72 h

##### **Bifenthrin:**

Toxicity to fish : LC50 (Salmo gairdneri): 0.15 µg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.11 µg/l  
Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (algae): 0.822 mg/l

# SAFETY DATA SHEET



## TALSTAR® N GRANULAR INSECTICIDE

Version 1.0      Revision Date: 02/13/2023      SDS Number: 50001733      Date of last issue: -  
Date of first issue: 06/21/2019

---

plants      Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.00012 mg/l  
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0013 µg/l  
Exposure time: 21 d

NOEC (Daphnia magna (Water flea)): 0.00095 µg/l  
Exposure time: 21 d

Toxicity to soil dwelling organisms : LD50 (Eisenia fetida (earthworms)): > 16 mg/kg  
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): 1,800 mg/kg

LD50 (Apis mellifera (bees)): 0.044 - 0.11 µg/bee  
End point: Acute contact toxicity

LD50 (Apis mellifera (bees)): 0.1 µg/bee  
End point: Acute oral toxicity

LD50 (Anas platyrhynchos (Mallard duck)): > 2,150 mg/kg

### Persistence and degradability

#### Components:

##### **Quartz (SiO<sub>2</sub>):**

Biodegradability : Result: Not biodegradable

##### **Bifenthrin:**

Biodegradability : Result: Not readily biodegradable.

### Bioaccumulative potential

#### Components:

##### **Quartz (SiO<sub>2</sub>):**

Bioaccumulation : Remarks: Does not bioaccumulate.

##### **Bifenthrin:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,709  
Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.  
See section 9 for octanol-water partition coefficient.

Partition coefficient: n-octanol/water : log Pow: 6

# SAFETY DATA SHEET



## TALSTAR® N GRANULAR INSECTICIDE

Version 1.0      Revision Date: 02/13/2023      SDS Number: 50001733      Date of last issue: -  
Date of first issue: 06/21/2019

---

### Mobility in soil

#### Components:

##### **Bifenthrin:**

Distribution among environmental compartments : Koc: 236610 ml/g, log Koc: 5.37  
Remarks: immobile

Stability in soil :

### Other adverse effects

#### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : Very toxic to aquatic life with long lasting effects.  
An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Send to a licensed waste management company.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : Do not re-use empty containers.  
Dispose of as unused product.  
Empty remaining contents.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Bifenthrin)  
Class : 9  
Subsidiary risk : ENVIRONM.  
Packing group : III  
Labels : 9 (ENVIRONM.)

#### **IATA-DGR**

# SAFETY DATA SHEET



## TALSTAR® N GRANULAR INSECTICIDE

Version 1.0      Revision Date: 02/13/2023      SDS Number: 50001733      Date of last issue: -  
Date of first issue: 06/21/2019

---

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Bifenthrin)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(Bifenthrin)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(bifenthrin)  
Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes (bifenthrin)  
Remarks : Shipment by ground under DOT is non-regulated; however it  
may be shipped per the applicable hazard classification to  
facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

Remarks : Shipment by ground under DOT is non-regulated; however it  
may be shipped per the applicable hazard classification to  
facilitate multi-modal transport involving ICAO (IATA) or IMO.  
49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# SAFETY DATA SHEET



## TALSTAR® N GRANULAR INSECTICIDE

Version 1.0      Revision Date: 02/13/2023      SDS Number: 50001733      Date of last issue: -  
Date of first issue: 06/21/2019

---

### SECTION 15. REGULATORY INFORMATION

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Specific target organ toxicity (single or repeated exposure)  
Carcinogenicity

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

#### US State Regulations

##### Massachusetts Right To Know

Quartz (SiO <sub>2</sub> )	14808-60-7
Distillates (petroleum), solvent-dewaxed light paraffinic	64742-56-9

##### Pennsylvania Right To Know

Quartz (SiO <sub>2</sub> )	14808-60-7
----------------------------	------------

##### Maine Chemicals of High Concern

Product does not contain any listed chemicals

##### Vermont Chemicals of High Concern

Product does not contain any listed chemicals

##### Washington Chemicals of High Concern

Product does not contain any listed chemicals

# SAFETY DATA SHEET



## TALSTAR® N GRANULAR INSECTICIDE

Version 1.0      Revision Date: 02/13/2023      SDS Number: 50001733      Date of last issue: -  
Date of first issue: 06/21/2019

---

### California Prop. 65

WARNING: This product can expose you to chemicals including kaolin, titanium dioxide, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### California Permissible Exposure Limits for Chemical Contaminants

Quartz (SiO<sub>2</sub>) 14808-60-7

### California Regulated Carcinogens

kaolin 1332-58-7

### The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

## SECTION 16. OTHER INFORMATION

### Further information


# SAFETY DATA SHEET



## TALSTAR® N GRANULAR INSECTICIDE

Version 1.0      Revision Date: 02/13/2023      SDS Number: 50001733      Date of last issue: -  
Date of first issue: 06/21/2019

### NFPA 704:



0 No health threat, 1 Slightly Hazardous, 2 Hazardous, 3 Extreme danger, 4 Deadly

### HMIS® IV:

HEALTH	*	4
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA CARC	:	OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA CARC / PEL	:	Permissible exposure limit (PEL)
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -



# SAFETY DATA SHEET



## TALSTAR® N GRANULAR INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/13/2023	50001733	Date of first issue: 06/21/2019

---

Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

### Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

**End of Material Safety Data Sheet**