SAFETY DATA SHEET TALSTAR® XTRA GC GRANULAR INSECTICIDE

SDS #: 6390-A Revision date: 2016-05-26 Format: NA Version 1.03



1. PRODUCT AND COMPANY IDENTIFICATION

| Product Identifier | |
|---------------------------------|--|
| Product Name | TALSTAR® XTRA GC GRANULAR INSECTICIDE |
| Other means of identification | |
| Product Code(s) | 6390-A |
| Synonyms | BIFENTHRIN: (2-methyl[1,1'-biphenyl]-3-yl)methyl 3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate (CAS name); 2-methylbiphenyl-3-ylmethyl (Z)-(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate (IUPAC name); ZETA-CYPERMETHRIN: (+/-)- α -cyano(3-phenoxyphenyl)methyl (+/-) cis, trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate (CAS name); (RS)- α -cyano-3-phenoxybenzyl (1RS)-cis-trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (IUPAC name) F2700 |
| Active Ingredient(s) | Bifenthrin, Zeta-cypermethrin |
| Chemical Family | Pyrethroid Pesticide |
| Recommended use of the chemical | and restrictions on use |
| Recommended Use: | Insecticide |
| Restrictions on Use: | Use as recommended by the label |
| <u>Manufacturer Address</u> | FMC Corporation 2929 Walnut Street Philadelphia, PA 19104 (215) 299-6000 (General Information) msdsinfo@fmc.com (E-Mail General Information) |
| Emergency telephone number | |
| | Medical Emergencies: 1 800 / 331-3148 (PROSAR - U.S.A. & Canada) 1 651 / 632-6793 (PROSAR - All Other Countries - Collect) For leak, fire, spill or accident emergencies, call: 1 800 / 424 9300 (CHEMTREC - U.S.A.) 1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries) |

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute toxicity - Oral | Category 4 |
|---|-------------|
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 |
| Serious eye damage/eye irritation | Category 2B |
| Skin sensitization | Category 1B |
| Carcinogenicity | Category 1A |

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

| Danger Hazard Statements H302 - Harmful if swallowed H317 - May cause an allergic skin reaction H320 - Causes eye irritation H332 - Harmful if inhaled H350 - May cause cancer | Danger |
|--|--|
| H302 - Harmful if swallowed H317 - May cause an allergic skin reaction H320 - Causes eye irritation H332 - Harmful if inhaled | |
| H350 - May cause cancer | H302 - Harmful if swallowed H317 - May cause an allergic skin reaction H320 - Causes eye irritation H332 - Harmful if inhaled |
| | H350 - May cause cancer |
| | |

Precautionary Statements - Prevention

P202 - Do not handle until all safety precautions have been read and understood

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

P281 - Use personal protective equipment as required

Precautionary Statements - Response

P308 + P313 - If exposed or concerned: Get medical advice/attention

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P330 - Rinse mouth

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects. May be harmful in contact with skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Pyrethroid Pesticide.

| Chemical name | CAS-No | Weight % |
|----------------------------|-------------|----------|
| Bifenthrin | 82657-04-3 | 0.2 |
| Zeta-cypermethrin (F2700) | 52315-07-8 | 0.05 |
| Crystalline silica, quartz | 14808-60-7 | >90 |
| Synthetic amorphous silica | 112926-00-8 | 1-5 |

Synonyms are provided in Section 1.

| 4. FIRST AID MEASURES | | | | |
|--|--|--|--|--|
| Eye Contact | Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. | | | |
| Skin Contact | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice. | | | |
| Inhalation | Move to fresh air. If person is not breathing, call 911 (within the U.S. and Canada) or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. | | | |
| Ingestion | Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor Do not give anything by mouth to an unconscious person. | | | |
| Most important symptoms and effects, both acute and delayed | None known. | | | |
| Indication of immediate medical attention and special treatment needed, if necessary | Treat symptomatically. This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided. | | | |
| | 5. FIRE-FIGHTING MEASURES | | | |
| Suitable Extinguishing Media | Foam. Carbon dioxide (CO ₂). Dry chemical. Water spray or fog. | | | |
| | | | | |
| Specific Hazards Arising from the Chemical | Powdered material may form explosive dust-air mixtures | | | |
| | Powdered material may form explosive dust-air mixtures Not sensitive. Not sensitive. | | | |
| Chemical Explosion data Sensitivity to Mechanical Impact | Not sensitive. | | | |
| Chemical Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and | Not sensitive. Not sensitive. As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire | | | |
| Chemical Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and | Not sensitive. Not sensitive. As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire area. Evaluate downwind. | | | |
| Chemical <u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precautions for firefighters | Not sensitive. Not sensitive. As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire area. Evaluate downwind. 6. ACCIDENTAL RELEASE MEASURES Isolate and post spill area. Wear suitable protective clothing, gloves and eye/face | | | |

| Methods for Containment | Sweep up and shovel into suitable containers for disposal. |
|-------------------------|--|
| Methods for cleaning up | Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13. |
| | 7. HANDLING AND STORAGE |
| Handling | Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal. |
| Storage | Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container. |

Incompatible products Strong oxidizing agents, Fluorine, Chlorine trifluorine, Oxygen difluoride

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH | Mexico |
|--|--|----------------------------|---|-----------------------------------|
| Crystalline silica, quartz | TWA: 0.025 mg/m ³ | - | IDLH: 50 mg/m ³ | Mexico: TWA 0.1 mg/m ³ |
| (14808-60-7) | | | TWA: 0.05 mg/m ³ | |
| Synthetic amorphous | - | - | - | Mexico: TWA 10 mg/m ³ |
| silica | | | | |
| (112926-00-8) | | | | |
| Chemical name | British Columbia | Quebec | Ontario TWAEV | Alberta |
| Crystalline silica, quartz (14808-60-7) | TWA: 0.025 mg/m ³ | TWA: 0.1 mg/m ³ | TWA: 0.10 mg/m ³ respirable | TWA: 0.025 mg/m ³ |
| Synthetic amorphous silica (112926-00-8) | TWA: 4 mg/m ³ TWA: 1.5 mg/m ³ | TWA: 6 mg/m ³ | - | - |

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Protective gloves

- **Respiratory Protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
- **Hygiene measures** Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

General information

If the product is used in mixtures, it is recommended that you contact the appropriate

SDS #: 6390-A Revision date: 2016-05-26 Version 1.03

protective equipment suppliers. These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Appearance Physical State Color Odor Odor threshold pH Melting point/freezing point Boiling Point/Range Flash point Evaporation Rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Density Specific gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic Explosive properties Oxidizing properties | Granules Solid Brown Mild detergent odor No information available ~ 6.9 Not applicable No information available No information available No information available No information available No information available No information available 97.71 - 100.43 lb/cu ft No information available No information available |
|---|---|
| | |
| Oxidizing properties | |
| | No information available |
| Molecular weight | |
| Bulk density | No information available |
| | |

10. STABILITY AND REACTIVITY

Stable under recommended storage conditions.

Hazardous polymerization does not occur.

| Reactivity |
|------------|
|------------|

Not applicable

Chemical Stability Possibility of Hazardous Reactions None under normal processing. Hazardous polymerization

Heat, flames and sparks **Conditions to avoid** Incompatible materials Strong oxidizing agents, Fluorine, Chlorine trifluorine, Oxygen difluoride. Hazardous Decomposition Products None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Product Information

| LD50 Oral | 727 mg/kg (rat) |
|-----------------------------------|--------------------------------|
| LD50 Dermal | > 5000 mg/kg (rabbit) |
| LC50 Inhalation | > 2.11 mg/L (rat) 4 hr |
| Serious eye damage/eye irritation | Moderately irritating to eyes. |
| Skin corrosion/irritation | May cause slight irritation. |
| Sensitization | Sensitizer |

| Symptoms | | Large, toxic doses of this product administered to laboratory animals produced signs of toxicity including tremors, loss of coordination,convulsions, staggered gait and oral discharge. | | | | | |
|---|--|--|--|-----------------------|--|--|--|
| Delayed and immediate eff | ects as well as chronic | c effects from short and I | ong-term exposure | | | | |
| Chronic toxicity | exposure in a Zeta-cyperm | ong-term exposure caused animal studies, but tremors ethrin: Long-term exposure /), decreased body weight | disappeared with continue caused neurotoxicity (boo | dy tremors, decreased | | | |
| Mutagenicity | Bifenthrin, Ze | Bifenthrin, Zeta-cypermethrin: Not genotoxic in animal studies. | | | | | |
| Carcinogenicity | tumors (lesio mice, but not | Bifenthrin: Weak treatment-related response for liver adenocarcinomas and benign bladder tumors (lesion) in male mice Cypermethrin caused an increase in benign lung tumors in mice, but not in rats. EPA has classified cypermethrin as a possible human carcinogen based on this information, but does not regulate based on its low cancer risk. | | | | | |
| Neurological effects | Bifenthrin: Ca salivation) fo exposure. Ze | Bifenthrin: Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive salivation) following acute or subchronic exposure. Tremors disappeared with continued exposure. Zeta-cypermethrin: Causes neurotoxicity (tremors and decreased motor activity) following acute, subchronic, or chronic exposure. | | | | | |
| Reproductive toxicity | | Bifenthrin. Zeta-cypermethrin: No toxicity to reproduction in animal studies. | | | | | |
| Developmental toxicity | | Bifenthrin, Zeta-cypermethrin: Not teratogenic in animal studies. | | | | | |
| STOT - single exposure | Not classified | Not classified. | | | | | |
| STOT - repeated exposure | Not classified | Not classified. | | | | | |
| Target organ effects | Bifenthrin: Ce blood | Bifenthrin: Central Nervous System (CNS) Zeta-cypermethrin: Central Nervous System | | | | | |
| Neurological effects Aspiration hazard | Bifenthrin: Ca salivation) fo exposure. Ze | Bifenthrin: Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive salivation) following acute or subchronic exposure. Tremors disappeared with continued exposure. Zeta-cypermethrin: Causes neurotoxicity (tremors and decreased motor activity) following acute, subchronic, or chronic exposure. | | | | | |
| Chemical name | | | NTD | 0544 | | | |
| Zeta-cypermethrin (E2700) | ACGIN | ACGIH IARC NTP OSHA | | | | | |

| Chemical name | ACGIH | IARC | NTP | OSHA |
|----------------------------|-------|----------|-------|------|
| Zeta-cypermethrin (F2700) | | Group 2A | | |
| 52315-07-8 | | | | |
| Crystalline silica, quartz | A2 | Group 1 | Known | Х |
| 14808-60-7 | | | | |
| Synthetic amorphous silica | | Group 3 | | |
| 112926-00-8 | | | | |

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 3 - Not classifiable as to its carcinogenicity to humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

3.6% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Bifenthrin (82657-04-3) | | | | |
|-------------------------|-----------|-----------|--------|-------|
| Active Ingredient(s) | Duration | Species | Value | Units |
| Bifenthrin | 96 h LC50 | Fish | 0.1 | μg/L |
| | 72 h EC50 | Algae | 0.822 | mg/L |
| | 48 h EC50 | Crustacea | 0.11 | μg/L |
| | 21 d NOEC | Fish | 0.012 | μg/L |
| | 21 d NOEC | Crustacea | 0.0013 | μg/L |

Limited quantity

| ta-cypermethrin (F2700) (5231 | | Species | Volue | Linita | | |
|---|---|--|--------------------------|-------------------------|--|--|
| Active Ingredient(s) | Duration | Species | Value | Units | | |
| Zeta-cypermethrin | 48 h EC50 96 h LC50 | Crustacea Fish | 0.14 0.69 | µg/L | | |
| | 72 h EC50 | Algae | >1 | µg/L | | |
| | 21 d NOEC | Crustacea | 0.01 | mg/L | | |
| | 21 d NOEC | Fish | 0.015 | μg/L μg/L | | |
| | ZTUNOLO | 1 1311 | 0.013 | µg/L | | |
| Persistence and degradability | Bifenthrin: Moderately persistent. Does not readily hydrolyze. Not readily biodegradable. Zeta-cypermethrin: Non-persistent. Readily hydrolyzed. Not readily biodegradable. | | | | | |
| Bioaccumulation | Bifenthrin: The substance has a potential for bioconcentration. Zeta-cypermethrin: The substance does not have a potential for bioconcentration. | | | | | |
| lobility | Bifenthrin, Zeta-cy | vpermethrin: Immobile, No | ot expected to reach gro | undwater. | | |
| | 13. DISPOS | SAL CONSIDERATION | ONS | | | |
| Vaste disposal methods | | of excess pesticide, spra disposed of by use accor s for guidance. | | | | |
| Contaminated Packaging | ontaminated Packaging Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions. | | | | | |
| | 14. TRAN | SPORT INFORMATI | ON | | | |
| <u>007</u> | | ransportation if shipped in prent in Bulk packaging. | | The classification belo | | |
| UN/ID no Proper Shipping Name Hazard class Packing Group Marine Pollutant Description | UN3077 Environmentally hazardous substance, solid, n.o.s. 9 III Zeta-cypermethrin. UN3077 Environmentally hazardous substances, solid, n.o.s.(Bifenthrin, Zeta-cypermethrin), 9 PG III | | | | | |
| <u>DG</u> UN/ID no Proper Shipping Name Hazard class Packing Group Marine Pollutant Description | 9 III Bifenthrin, Zeta-cy | nentally hazardous substa | | thrin, | | |
| <u>CAO/IATA</u> UN/ID no Proper Shipping Name Hazard class Packing Group Description | 9 III | azardous substance, soli nentally hazardous substa ı), 9 PG | | thrin, | | |
| Limited quantity | 30 kg G | | | | | |

30 kg G

| IMDG/IMO | |
|----------------------|---|
| UN/ID no | UN3077 |
| Proper Shipping Name | Environmentally hazardous substance, solid, n.o.s. |
| Hazard class | 9 |
| Packing Group | |
| EmS No. | F-A, S-F |
| Marine Pollutant | Bifenthrin, Zeta-cypermethrin |
| Description | UN3077 Environmentally hazardous substances, solid, n.o.s. (Bifenthrin, |
| | Zeta-cypermethrin), 9 PG |
| | |

15. REGULATORY INFORMATION

U.S. Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical name | CAS-No | Weight % | SARA 313 - Threshold Values % |
|-------------------------|------------|----------|----------------------------------|
| Bifenthrin - 82657-04-3 | 82657-04-3 | 0.2 | 1.0 |

SARA 311/312 Hazard Categories

| Yes |
|-----|
| Yes |
| No |
| No |
| No |
| |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed. Causes moderate eye irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. This pesticide is extremely toxic to fish, aquatic invertebrates, oysters and shrimp.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Bifenthrin | Х | | |
| 82657-04-3 | | | |
| Zeta-cypermethrin (F2700) 52315-07-8 | | X | |
| Crystalline silica, quartz 14808-60-7 | Х | X | Х |
| Synthetic amorphous silica 112926-00-8 | Х | X | Х |

International Inventories

| Chemical name | TSCA (United States) | DSL (Canada) | EINECS/ELINC S (Europe) | ENCS (Japan) | China (IECSC) | KECL (Korea) | PICCS (Philippines) | AICS (Australia) |
|--|----------------------------|-----------------|----------------------------|-----------------|------------------|--------------|------------------------|---------------------|
| Bifenthrin 82657-04-3 | | | | Х | Х | Х | | |
| Zeta-cypermethrin (F2700) 52315-07-8 | | | Х | | Х | Х | Х | Х |
| Crystalline silica, quartz 14808-60-7 | Х | Х | Х | Х | Х | Х | Х | Х |
| Synthetic amorphous silica 112926-00-8 | | Х | | Х | Х | Х | Х | Х |

Mexico - Grade

Moderate risk, Grade 2

| Chemical name | Carcinogen Status | Mexico |
|----------------------------|-------------------|-----------------------------------|
| Crystalline silica, quartz | | Mexico: TWA 0.1 mg/m ³ |
| Synthetic amorphous silica | | Mexico: TWA 10 mg/m ³ |

| Chemical name | Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities | Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities | |
|---------------|---|--|--|
| Bifenthrin | 100 | 100 kg/yr | |
| | 2500 kg/yr | | |

WHMIS Hazard Class

D2A - Very toxic materials D2B - Toxic materials



16. OTHER INFORMATION

| NFPA | Health Hazards 2 | Flammability 1 | Instability 0 | Special Hazards - |
|------|-------------------|----------------|-------------------|-----------------------|
| HMIS | Health Hazards 2* | Flammability 1 | Physical hazard 0 | Personal Protection X |

Revision date: Reason for revision: 2016-05-26 Format Change

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF

SDS # : 6390-A Revision date: 2016-05-26 Version 1.03

MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Logo - Trademark of FMC Corporation

© 2016 FMC Corporation. All Rights Reserved. End of Safety Data Sheet