

RESTRICTED USE PESTICIDE

Due to eye irritation.
For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.

TurboCide®

Advanced Fogging Products

VAP-20

Aerosol Insecticide

- This Aerosol System Employs Liquid Carbon Dioxide as a Solvent and Propellant.
- To be Used With Aerotech® Spray Systems.
- No Cylinders to Dispose of
- These Cylinders are Returned to the Manufacturer for Refilling

Active Ingredient:

Dichlorvos (2,2-dichlorovinyl dimethyl phosphate).....20.0%

Other Ingredients*:.....80.0%

Total.....100.0%

*Contains petroleum distillates

AeroTech® is a registered trademark of the Industrial Fumigant Company

TurboCide® is a registered trademark of Chem-Tech, Ltd.

EPA Reg. No. 47000-71

EPA Est. No. 47000-IA-01

EPA Est. No. 61282-WI-01

EPA Est. No. 66171-CA-001

EPA Est. No. 66171-TN-001

(First letter of batch number indicates establishment)

KEEP OUT OF REACH OF CHILDREN DANGER

See side panels for additional Precautionary Statements

FIRST AID

If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. • Call a poison control center for treatment advice.
If on Skin or on Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for further treatment advice.
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice or transport the patient to the nearest hospital. • Do not give any liquid to the patient. • Do not administer anything by mouth to an unconscious person. • Do not induce vomiting unless told to do so by the poison control center or doctor.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate. May pose an aspiration pneumonia hazard.

POISONING SYMPTOMS: This product is a cholinesterase inhibitor. Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive and pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT:

Atropine is the specific therapeutic antagonistic of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Clear chest by postural drainage. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been allowed as determined by blood test. Causes skin irritation.

Have product container or label with you when calling a poison control center, doctor, or going for treatment.

For 24-hour emergency information on this product, call
1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas)

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Corrosive. Causes irreversible eye damage. May be fatal if absorbed through the skin. Harmful if swallowed. Do not get on skin, in eyes, or on clothing. May cause skin sensitization reactions in certain individuals. Wash hands thoroughly with soap and water after handling, and before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment (PPE):

Mixers, loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants;
- Shoes and socks;
- Chemical-resistant gloves such as barrier laminate, butyl rubber ≥ 14 mils, nitrile rubber ≥ 14 mils, neoprene rubber ≥ 14 mils, or Viton ≥ 14 mils;
- Goggles or face-shield;
- Chemical-resistant headgear for overhead exposure;
- A minimum of a NIOSH-approved elastomeric half mask respirator with organic vapor (OV) cartridges and a combination N1, R, or P filter; OR a NIOSH-approved gas mask with OV canisters; OR a NIOSH-approved powered air-purifying respirator with OV cartridges and combination HE filters;
- Chemical-resistant apron when mixing, loading, or cleaning equipment.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations.

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.



This product can expose you to chemicals, including Dichlorvos (DDVP, CAS No. 62-73-7), which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and aquatic invertebrates. Drift and run-off may be hazardous to aquatic organisms in water adjacent to treated areas. Do not apply to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by disposing of equipment wash waters or rinsate.

This pesticide is highly toxic to bees and other pollinating insects exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees or other pollinating insects are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE**Restricted Use Pesticide**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions, use restrictions, and precautions.

USE RESTRICTIONS:

- Do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Do not enter or allow others to enter until sprays have dried.
- Use in hand-held foggers or hand-held smoke generator equipment is prohibited.
- When applying as a fog or mist indoors, equipment must be operated remotely.
- Use in residential sites as a crack-and-crevice or space spray is prohibited.
- Use on lawn, turf, or ornamentals is prohibited.
- Do not apply this product through any type of irrigation system.
- Do not make applications when temperatures are below 60°F (15.6°C).

USE IS PROHIBITED IN:

- **Food/feed manufacturing establishments:** Bottling plants (including wineries, breweries, soft drinks), frozen food/feed (including pizza and ice cream plants), excluding non-food/feed manufacturing areas.
- **Food/feed processing establishments:** Meat, poultry, and seafood slaughtering and/or packing plants (including edible fats and oils), frozen food/feed plants (including fruit and vegetables), dairy product plants (including milk processing plants), excluding non-food/feed processing areas.

POSTING AND RE-ENTRY RESTRICTIONS**NOTIFICATION:**

Before the start of the application, post fumigant warning signs at all entrances to the building. The signs must bear the skull-and-crossbones symbol and state:

1. DANGER / PELIGRO,
2. Building under fumigation. DO NOT ENTER / NO ENTRE,
3. The date and time of fumigation,
4. DDVP [or use brand name] Fumigant in Use, and
5. Name, Address, and Telephone number of the Applicator.

The signs must be located prominently at each entrance, using a sign size and letter size that makes the sign clearly legible. All signs must be removed after the ventilation is complete and before routine entry by unprotected persons is permitted.

Entry by any person – other than a correctly trained and equipped handler who is performing a task related to ventilation or air concentration monitoring and who is wearing the personal protective equipment required for handlers – is **PROHIBITED** in the entire enclosed structure/building from the start of the application until ventilation is complete. Ventilation is complete either when 24 hours have elapsed following application and the building has been opened and aired, or when a direct-indication, short-term concentration monitoring device (e.g., Draeger Tube) indicates that the DDVP air concentration is equal to or less than 0.050 ppm (50% of the OSHA PEL). For California – 0.010 ppm or less.

USE AND APPLICATION DIRECTIONS:

VAP-20 Aerosol Insecticide is a specially formulated insecticide designed for use in the control of exposed stages of stored product insects infesting warehouses, silos, bulk bins, and food/feed processing, food/feed manufacturing, handling, and storage plants containing non-perishable, packaged, or bagged raw or processed food/feed commodities or bulk raw or processed food/feed commodities, and non-food/feed areas of processing and manufacturing plants.

Non-food/feed processing and manufacturing plant use areas include: garbage rooms, lavatories, floor drains (to sewer entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

The term "non-perishable" means any raw or unprocessed food/feed not subject to rapid decay or deterioration that would render it unfit for consumption.

Raw commodities would include: animal feed, cocoa beans, dried beans, grain crops, peanuts, soybeans, and nut crops.

Raw commodities do not include: eggs, milk, meat, poultry, fish, and fresh fruits and vegetables.

When using in food/feed processing, food/feed manufacturing, handling, and storage areas: Apply only during times when plant is not in operation and no food/feed products are exposed. If bulk unpackaged food/feed is exposed, remove or cover before treatment begins. All food/feed processing surfaces should be covered during treatment or thoroughly cleaned before reuse.

For the control of exposed stages and the prevention of migration of most species of stored product insects, *granary weevils, rice weevils, confused flour beetles, saw-toothed grain beetles, cigarette beetles, Indian meal moths, and cocoa bean moths.*

FOGGING:

VAP-20 Aerosol Insecticide should be applied with a timer or device at the rate of 2.5 to 10 grams per 1,000 cubic feet (this gives 0.5 to 2 grams of actual DDVP per 1,000 cu. ft.). This cylinder contains 9,080 grams of 20% DDVP. This will yield 72 treatments of 50,000 cubic feet at 2.5 grams per 1,000 cu. ft. VAP-20 Aerosol Insecticide continues to kill insects for 2 to 4 hours after application. VAP-20 Aerosol Insecticide does not penetrate containers, and infested products should be treated by other methods approved for this purpose.

Treatment should be made during hours when buildings are unoccupied. Buildings should be closed, and ventilation kept at a minimum during application of the insecticide. Lock all entrances and do not allow unprotected workers to enter the building when being treated.

Keep a minimum 7-day interval between applications of VAP-20 Aerosol Insecticide, except on cocoa beans and raw (unshelled) peanuts where daily applications do not exceed 0.5 grams a.i. per 1,000 cu. ft. of head space.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: This cylinder must be checked periodically. A defective cylinder should not be used. A cylinder that has parts missing, is plainly worn, or distorted should be replaced immediately. Store cylinder upright in a cool, dry area.

PESTICIDE DISPOSAL: Pesticides that cannot be used according to label instructions must be returned to the point of purchase in the original container.

CONTAINER HANDLING: This cylinder must not be disposed of in any manner. Cylinders must be returned to point of purchase for credit. All cylinders, valves, and caps remain the property of the manufacturer. Federal regulations prohibit the refilling of cylinders without the written consent of the manufacturer.

DISCLAIMER

To the extent permitted by applicable law, Seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling, or improper storage, of this material. To the extent permitted by applicable law, Seller does not assume any responsibility for injury to persons, crops, animals, soil, or property arising out of misuse, improper handling, or improper storage of this material.

For non-emergency (e.g., current product information),
Call: 1-800-621-8829

Manufactured by:
Chem-Tech, Ltd.™
1006 Business Hwy 5
Pleasantville, IA 50225 U.S.A.

Chem-Tech, Ltd.™ is a wholly-owned
subsidiary of Neogen® Corporation
L7362-0521

Item No. 0714510



Net Contents: 20 lbs. (9.072 kg)
Net Weight: 20 lbs. (9.072 kg)