



Auguzine™

St. Augustine Weed Killer

For the control of both emerged weeds and weeds from seeds in St. Augustinegrass and Centipedegrass, use 5 teaspoonfuls per 100 square feet.

ACTIVE INGREDIENTS:

Atrazine.....	4.00%
Related compounds.....	0.08%
OTHER INGREDIENTS:	95.92%
TOTAL:	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See **FIRST AID** Below
SHAKE WELL BEFORE USING

[Optional: Recirculate Contents Before Use]

EPA Reg. No. 19713-567
EPA Est. No. 19713-MS-1

Net Content:
2.5 Gals. (9.46 L)

FIRST AID

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious or convulsing person.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 to 20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call CHEMTREC at 800-424-9300 for medical emergency.

NOTE TO PHYSICIAN: There is no specific antidote for Atrazine. If this product is ingested, induce emesis or lavage stomach. The use of an aqueous slurry of activated charcoal may be considered.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Wear long-sleeved shirt, long pants, chemical-resistant gloves and shoes plus socks.

USER SAFETY RECOMMENDATIONS

Users should: 1) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. 2) Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. 3) Remove clothing/PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter groundwater which may be used as drinking water. Atrazine has been found in groundwater. Users are advised not to apply Atrazine to *Sand* and *Loamy sand soils* where the water table (groundwater) is close to the surface and where these soils are very permeable, i.e., well-drained. Your local agricultural agencies can provide further information

on the type of soil in your area and the location of groundwater.

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.

PRECAUTIONS AND RESTRICTIONS: Do not apply this product in a way that will contact any persons or pets, either directly or through drift. Keep people and pets out of the area during application.

Do not allow people or pets to enter the treated area until sprays have dried.

IMPORTANT: Read the entire Directions for Use, all precautions and the Conditions of Sale and Warranty before using this product.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE, RESTRICTIONS AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR WEED CONTROL, CROP INJURY, ILLEGAL RESIDUES OR PERSONAL INJURY.

APPLICATION PROCEDURES

- Do not use near adjacent desirable plants or in greenhouses, or injury may occur.
- To avoid spray drift, apply with a coarse low pressure spray.
- Do not apply under windy conditions.
- Avoid spray overlap.
- This product is to be mixed with water only. Combinations with other chemicals in the application mixture are not recommended.
- Do not apply when temperatures exceed 90°F.
- Use only on healthy Turfgrass which is not under heat or drought stress and reasonably free of infestations of insects, nematodes and diseases.
- Applications during the Summer should be limited to spot treatment only.
- Do not use on *Muck* or *Alkaline soils*.
- Do not use over rooting area of Trees, Ornamentals, Vegetables or other desirable plants other than the indicated Turfgrasses.
- Do not apply to areas where the natural drainage would carry the Atrazine to adjacent desirable plants.
- Do not replant treated areas (except with listed Turfgrass) within 12 months after treatment or injury may result.
- Do not overseed Turf areas within 6 months after treatment.
- Sprigging of listed Turfgrass is allowed in treated areas, however, some yellowing or stunting may occur.



Manufactured By:
Drexel Chemical Company
P.O. Box 13327, Memphis, TN 38113-0327

SINCE 1972

AUGUZINE and the DREXEL logo are either trademarks or registered trademarks of Drexel Chemical Company.

APPLICATION RESTRICTIONS

Maximum rate per application on Turfgrass (including lawns) is 8.6 fluid ounces per 1,000 square feet. Maximum of two applications per year is permitted.

USE DIRECTIONS

Weeds Controlled or Suppressed:

Annual bluegrass (*Poa annua*), Chickweed (Common and Mouseear), Crabgrass (suppression only), Cransbill, Cudweed, Dichondra, Florida Betony, Henbit, Knotweed, Lespedeza, Moneywort, Mustards, Narrow-leaf Vetch, Parsley-Piert, Pennywort (Dollarweed), Sandspur, Smutgrass, Spurge, Spurweed, Swinecrest, Woodsorrel and various Annual clovers.

Established St. Augustinegrass and Centipedegrass:

This product may be applied during both dormant and growing seasons. Best results are usually obtained when applied in early Spring or dormant periods when weeds are small or have not emerged. Do not apply more than two treatments per year.

This product controls Annual bluegrass, Florida Betony, Spurweed and many other problem weeds in St. Augustinegrass and Centipedegrass turfs.

This product will control both emerged weeds and weeds from seeds. Rain or water within 2 or 3 days of application may decrease the effectiveness on emerged weeds. However, for the control of weeds from seeds, rainfall or watering is necessary within 7 to 10 days after treatment.

Spurweed:

Control of Spurweed can best be obtained by applying when Spurweed has newly emerged (December and January.)

Florida Betony:

This weed emerges in the Fall. Apply this product in mid to late October followed by a second application in mid to late February.

Dichondra, Moneywort:

Apply this product in early April followed by a second application in July. Note: Applications for Florida Betony or Spurweed generally will give control or suppression of the other listed weeds. However, as a general rule, this product will give best control when applied to young tender weeds or just prior to weed emergence.

RATE OF APPLICATION* FOR ST. AUGUSTINEGRASS and CENTIPEDEGRASS		
Areas To Be Treated	Amount of This Product	Minimum Amount of Water
100 sq. ft.	5 tps.	1 qt.
500 sq. ft.	4.3 fl. ozs.	1 gal.
2,000 sq. ft.	1.1 pt.	4 gals.

* Determine total area to be sprayed and base rate of application on the above rates.

METHODS OF APPLICATION

Conventional Sprayers:

Application should be made with conventional compressed air garden sprayer equipped with a flat fan spray tip. Correct calibration of the sprayer is essential. Overdosing will cause severe plant injury and or death of the desired Turf. Insufficient application may not give anticipated weed control.

Measure the amount of this product into the spray tank and dilute with water according to the above Table. Close tank sprayer and shake well before applying.

Hose-End Sprayers With Ready-Spray Nozzle:

One quart (32 fl. ozs.) of this product will treat 3,720 square feet of listed Grasses.

DO NOT apply one quart of this product to an area less than 3,720 square feet DO NOT apply this product to the same area more than twice per year.

Using the Ready-Spray nozzle, apply this product following the below procedures:

1. Shake container well before using.
2. Connect a garden hose to the Ready-Spray nozzle. Make sure that the dial nozzle is in the "OFF" position with the [green] safety tab in the valve notch.
3. Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
4. To begin spraying, point nozzle toward treatment side and:
 - a) Bend back the [green] safety tab [located at the right of the yellow dial] with your thumb.
 - b) Hold while turning the yellow dial clockwise quickly until it stops. Water will automatically mix with this product.

5. Spray until wet to control the weeds listed on this label. Walk at a steady pace while spraying using an even sweeping motion.
6. To STOP spraying, quickly turn the dial counterclockwise until it stops and the safety tab engages into the notch on the valve. Turn water OFF at faucet. To relieve pressure before removing nozzle from the hose, bend the safety tab back and turn dial "ON" until water stops spraying.
7. To store unused product, make sure the dial is in the "OFF" position with the [green] safety tab in the valve notch. Place in cool area, away from heat, sunlight or open flame.

Read the "APPLICATION PROCEDURES" section of this label for additional application instructions.

For Connect and Spray Applicator:

1. Make sure knob control lever is in the OFF position. Shake well and attach to hose.
([Optional] Make sure the handle is in the upright position and locked OFF position. Shake container well and attach spray nozzle to hose.)
2. Turn water on at faucet, extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area. Aim nozzle toward lawn and turn control lever to ON to begin spraying. The product will automatically siphon and mix with water. Walk at a steady pace while spraying, using an even sweeping motion. Spray weeds until wet.
([Optional] Turn water on at faucet, aim nozzle toward lawn, bend tab back, and rotate handle clockwise toward the hose connection in the ON position to begin spraying. The product will automatically siphon and mix with water.) [Optional Icon]
3. When finished, turn control lever to OFF position. Turn faucet off. Discharge residual water pressure by turning control lever ON and OFF again.
([Optional] When finished, turn the handle counterclockwise until the handle is in the upright position and locked position. Turn faucet off. Discharge residual water pressure by turning the handle ON and OFF again. Unscrew spray nozzle from hose.)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store pesticide in the original container in a locked storage area.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Nonrefillable Container (rigid material; less than 5 gallons): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container one-fourth full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Dispose of empty container in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Nonrefillable Container (rigid material; 5 gallons up to < 250 gallons): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container one-fourth full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Dispose of empty container in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. **(Continued)**

STORAGE AND DISPOSAL (Cont.)

Refillable Container (≥ 250 gallons & Bulk): Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available or puncture and dispose of in sanitary landfill or by incineration or by other procedures allowed by State and local authorities.

For Residential/Household Use:

PESTICIDE DISPOSAL: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. If empty, place in trash or offer for recycling if available. If partially filled, call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY—CONDITIONS OF SALE

OUR DIRECTIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically directed and other influencing factors in the use of this product are beyond the control of the Seller. To the extent consistent with applicable law, Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith. To the extent consistent with applicable law, in no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.