

DEMON® MAX INSECTICIDE

Date: 3/16/2015

Replaces: 1/17/2011

1. PRODUCT IDENTIFICATION

Product identifier on label: **DEMON® MAX INSECTICIDE**

Product No.: A7134C

Use: Insecticide

Manufacturer: Syngenta Crop Protection, LLC
Post Office Box 18300
Greensboro NC 27419

Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications: Skin Corrosion/Irritation: Category 2
Inhalation: Category 3
Skin Sensitizer: Category 1B
Carcinogenicity: Category 2
Specific Target Organ Toxicity: Repeated Category 2
Eye Damage/Irritation: Category 2A
Specific Target Organ Toxicity: Respiratory Irritation Category 3
Aspiration Hazard: Category 1
Flammable Liquid: Category 4
Oral: Category 3

Signal Word (OSHA): Danger

Hazard Statements: Combustible liquid
Toxic if swallowed
May be fatal if swallowed and enters airways
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation
Toxic if inhaled
May cause respiratory irritation
Suspected of causing cancer
May cause damage to organs through prolonged or repeated exposure

Hazard Symbols:



DEMON® MAX INSECTICIDE

Date: 3/16/2015
Replaces: 1/17/2011

Precautionary Statements:

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Keep away from heat, sparks, open flames, hot surfaces. No smoking.
- Do not breathe mist, vapors, spray.
- Wash hands and face thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Use only outdoors or in a well-ventilated area.
- Contaminated work clothing must not be allowed out of the workplace.
- Wear protective gloves, protective clothing, eye protection.
- If swallowed: Immediately call a poison center, doctor or Syngenta. Rinse mouth.
- If on skin: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice.
- If inhaled: Remove person to fresh air and keep comfortable for breathing.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice.
- If exposed or concerned: Get medical advice/attention.
- Call a poison center, doctor or Syngenta if you feel unwell.
- Get medical advice if you feel unwell.
- See Section 4 First Aid Measures.
- Do NOT induce vomiting.
- Take off contaminated clothing and wash it before reuse.
- In case of fire: Use dry chemical, foam or CO₂ for extinction.
- Store in a well-ventilated place. Keep cool.
- Store locked up.
- Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Naphthalene	Naphthalene	91-20-3	<1.0%
Petroleum Solvent	Petroleum Solvent	Trade Secret	Trade Secret
1,2-Propanediol	Propylene Glycol	57-55-6	Trade Secret
Other ingredients	Other ingredients	Trade Secret	<73.7%
a-cyano-(3-phenoxyphenyl)methyl-cis, trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate	Cypermethrin	52315-07-8	25.3%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

DEMON® MAX INSECTICIDE

Date: 3/16/2015

Replaces: 1/17/2011

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

- Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Eye irritation

Skin irritation

Allergic skin reaction

May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia

Respiratory irritation

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

Persons suffering a temporary allergic reaction may respond to treatment with antihistamines or steroid creams and/or systemic steroids.

Skin contact paresthesia effects (itching, tingling, burning or numbness) are transient, lasting up to 24 hours. Treat symptomatically.

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

Combustible liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Heavy vapors can flow along surfaces to distant ignition sources and flash back.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

DEMON® MAX INSECTICIDE

Date: 3/16/2015
 Replaces: 1/17/2011

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:
 Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Naphthalene	10 ppm TWA	10 ppm TWA (skin)	10 ppm TWA	NIOSH
Petroleum Solvent	Not Established	Not Established	100 mg/m ³ TWA	Manufacturer
Propylene Glycol	Not Established	Not Established	10 mg/m ³ TWA	AIHA
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Cypermethrin	Not Established	Not Established	0.5 mg/m ³ TWA	Manufacturer

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber or Viton),

DEMON® MAX INSECTICIDE

Date: 3/16/2015
Replaces: 1/17/2011

coveralls, socks and chemical-resistant footwear. Stringent housekeeping measures are necessary to prevent translocation of the material from contaminated work surfaces to uncontaminated surfaces (railings, doors, etc.). Unprotected contact with such translocated material can result in paresthesia effects (see Section 11 of MSDS). Do not touch unprotected skin areas (face) with contaminated gloves or clothing.

Inhalation:

A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH approved respirator with any R, P or HE filter.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Dark brown viscous liquid

Odor: Slight hydrocarbon

Odor Threshold: Not Available

pH: 4.8 (1% w/v @ 68°F (20°C))

Melting point/freezing point: Not Applicable

Initial boiling point and boiling range: Not Available

Flash Point (Test Method): 160°F

Flammable Limits (% in Air): Not Available

Flammability: Combustible liquid

Vapor Pressure: Cypermethrin ca 7.5 x 10(-10) mmHg @ 68°F (20°C) (by extrapolation)

Vapor Density: Not Available

Relative Density: 0.98 g/ml @ 77°F (25°C)

Solubility (ies): Cypermethrin 0.004 mg/l (pH 7)

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: Not Available

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: None

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical stability: Stable under normal use and storage conditions.

Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: None known.

Incompatible materials: None known.

Hazardous Decomposition Products: None known.

DEMON® MAX INSECTICIDE

Date: 3/16/2015
Replaces: 1/17/2011

11. TOXICOLOGICAL INFORMATION

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Eye irritation, Skin irritation, Respiratory irritation, Itching, tingling, burning or numbness

Delayed, immediate and chronic effects of exposure: Possible carcinogenicity, Eye irritation, Skin irritation, Allergic skin reaction, Respiratory irritation, Paresthesia

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion:	Oral (LD50 Female Rat) :	294 mg/kg body weight
Dermal:	Dermal (LD50 Rabbit) :	> 2000 mg/kg body weight
Inhalation:	Inhalation (LC50 Rat) :	> 0.764 mg/l air - 4 hours
Eye Contact:	Severely Irritating (Rabbit)	
Skin Contact:	Moderately Irritating (Rabbit)	
Skin Sensitization:	A weak skin sensitizer.	

Reproductive/Developmental Effects

Cypermethrin: There were no cypermethrin-induced effects in fertility in two separate two-litter three (filial) generation studies in the rat.

Chronic/Subchronic Toxicity Studies

Cypermethrin: NOEL (2-yr) for dogs 5 mg/kg, rats 7.5 mg/kg.
Nervous system effects typical of pyrethroids (motor incoordination, gait abnormalities) in a range of repeated dose studies (dog and rat). Possible nerve fiber degeneration in 14-day study in rats.

Carcinogenicity

Cypermethrin: Two separate 2-year feeding studies in the rat revealed no evidence of carcinogenicity that could be attributable to cypermethrin.

Chemical Name	NTP/IARC/OSHA Carcinogen
Naphthalene	See "Toxicity", Sec. 11
Petroleum Solvent	No
1,2-Propanediol	No
Other ingredients	No
a-cyano-(3-phenoxyphenyl)methyl-cis, trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate	No

Other Toxicity Information

In humans, contact with exposed skin may result in temporary itching, tingling, burning or numbness, called paresthesia. The effect may result from splash, aerosol, or hot vapor contact, or transfer to the face from contaminated gloves and hands. The symptoms normally disappear within 24 hours. Face and genital areas are especially susceptible to this effect. Paresthesia involving the face is also known as "subjective facial sensation" or SFS.

Toxicity of Other Components

Naphthalene

DEMON® MAX INSECTICIDE

Date: 3/16/2015
 Replaces: 1/17/2011

Exposure to naphthalene can cause cataracts, liver damage, kidney failure, respiratory failure, hematuria, anemia, damage to red blood cells, leukocytosis, or coma.

Carcinogen Status:
 NTP: Anticipated Carcinogen
 IARC: Group 2B Possible Human Carcinogen

Other ingredients
 Not Applicable

Petroleum Solvent
 Respiratory irritation, dizziness, nausea, loss of consciousness.

Propylene Glycol
 Test results reported in Section 11 for the final product take into account any acute hazards related to the propylene glycol in the formulation.
 Reported to cause central nervous system depression (anesthesia, dizziness, confusion), headache and nausea.
 Chronic dietary exposure caused kidney and liver injury in experimental animals.

Target Organs

Active Ingredients

Cypermethrin: CNS, eye, liver, skin

Inert Ingredients

Naphthalene: Eye, liver, kidney, respiratory tract, blood, CNS
 Other ingredients: Not Applicable
 Petroleum Solvent: Respiratory tract, CNS, skin
 Propylene Glycol: Nervous system, kidney, liver

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Cypermethrin:
 Fish (Rainbow Trout) 96-hour LC50 0.92 ppb
 Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 1.0 ppb
 Bird (Mallard Duck) 21-day LD50 > 10248 mg/kg

Environmental Fate

Cypermethrin:
 The information presented here is for the active ingredient, cypermethrin.
 Not persistent in soil or water. Immobile in soil. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

DEMON® MAX INSECTICIDE

Date: 3/16/2015

Replaces: 1/17/2011

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA

Proper Shipping Name: Pesticides, Liquid, Toxic, N.O.S. (Cypermethrin)

Hazard Class: Class 6.1

Identification Number: UN 2902

Packing Group: PG III

Comments

Water Transport - International

Proper Shipping Name: Pesticides, Liquid, Toxic, N.O.S. (Cypermethrin), Marine Pollutant

Hazard Class: Class 6.1

Identification Number: UN 2902

Packing Group: PG III

Air Transport

Proper Shipping Name: Pesticides, Liquid, Toxic, N.O.S. (Cypermethrin)

Hazard Class: Class 6.1

Identification Number: UN 2902

Packing Group: PG III

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning: May be fatal if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Avoid contact with eyes, skin, or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear long-sleeved shirt and long pants, socks, shoes, and gloves. Remove and wash contaminated clothing before reuse. Avoid breathing spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

EPA Registration Number(s):

100-1218

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard
Chronic Health Hazard
Fire Hazard

Section 313 Toxic Chemicals: Naphthalene <1.0% (CAS No. 91-20-3)

CERCLA/SARA 304 Reportable Quantity (RQ):

Report product spills > 7,500 gal. (based on naphthalene [RQ = 100 lbs.] content in the formulation)

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

DEMON® MAX INSECTICIDE

Date: 3/16/2015
Replaces: 1/17/2011

Exempt from TSCA. subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 3
Flammability: 2
Instability: 0

HMIS Hazard Ratings

Health: 3
Flammability: 2
Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: C,S

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 1/14/2005
Revision Date: 3/16/2015 Replaces: 1/17/2011
Section(s) Revised: 1-16

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.