



11901 S. Austin Ave. Alsip, IL 60803 Ph# (800) 345-3330

GROUP 10 HERBICIDE

FIFRA 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF OREGON

# Cheetah Herbicide

EPA Reg. No. 71368-112

EPA SLN No. OR-150002

**FOR WEED CONTROL IN GRASS GROWN FOR SEED PRODUCTION ONLY**

THIS LABEL IS VALID UNTIL DECEMBER 31, 2024 OR  
UNTIL OTHERWISE AMENDED, WITHDRAWN, CANCELED OR SUSPENDED.

**ACTIVE INGREDIENT:**

Glufosinate ammonium\* ..... 24.5%

**OTHER INGREDIENTS:** ..... 75.5%

**TOTAL:** ..... 100.0%

\* CAS Number 77182-82-2

\*\*Equivalent to 2.34 pounds of active ingredient per gallon

## KEEP OUT OF REACH OF CHILDREN WARNING / AVISO

Si usted no entiende la etiqueta busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label find someone to explain it to you in detail)

**For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300  
For Medical Emergencies Only, Call (877) 325-1840**

### ENVIRONMENTAL HAZARDS

Do not apply directly to water or to areas where surface water is present. Do not apply to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

This pesticide is toxic to vascular plants and should be used strictly in accordance with the drift and run-off precautions on this supplemental label and the EPA-registered label in order to minimize off-site exposures.

### DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN ANY MANNER INCONSISTENT WITH ITS LABELING.

THIS LABEL AND THE LABEL FOR THE FEDERALLY REGISTERED PRODUCT, EPA REG. NO. 71368-112, MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION. READ THIS ENTIRE LABEL FOR 71368-112. FOLLOW ALL DIRECTIONS, RESTRICTION, AND PRECAUTIONS FOUND ON THIS LABEL AND ALL THE APPLICABLE REQUIREMENTS ON THE LABEL FOR 71368-112.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS IN THE PRODUCT LABEL BOOKLET MUST BE FOLLOWED.



**GENERAL INFORMATION FOR WEED CONTROL IN GRASS GROWN FOR SEED PRODUCTION:**

For use on grasses grown for seed production, such as, perennial ryegrass, tall fescue or bentgrass.

Tolerance of grasses to Cheetah is species dependent. Species tolerance in descending order is:

- 1) Perennial ryegrass;
- 2) Tall fescue;
- 3) Bentgrass;
- 4) Fine fescue; and
- 5) Poa species.

For example, perennial ryegrass tends to be more tolerant to Cheetah than the *Poa* species.

Directed shielded sprays are suggested in fine fescue species, orchardgrass and *Poa* species grown for seed production. Broadcast applications made after first node development can increase the potential for crop injury and yield loss.

- 1. DO NOT apply Cheetah when grass grown for seed production is stressed due to drought, heat, frost, flooding, poor fertility, diseases, insects, or other reason.
- 2. Stunting of grass grown for seed production may occur following application and, in some instance, seed yields may be adversely affected.

DO NOT broadcast apply Cheetah on fine fescue, orchardgrass, or *Poa* species grown for seed.

**WEEDS CONTROLLED OR SUPPRESSED:**

Poa annua	Manna Grass
Poa trivialis	Bromus species (suppression only)

**TIMING OF APPLICATION:**

For best weed control and crop safety, apply when the grass seed crop is actively growing in the fall and/or spring to minimize potential for crop injury.

**FALL APPLICATION**

**Broadcast Only:** For severe weed pressure in newly established grass seedling fields, applications may occur after the 1st tiller of the crop is established, but do not exceed the 10 fluid ounces rate per acre. For established fields with a minimum of 4 tillers, do not exceed a rate of 16.5 fluid ounces per acre. Do not make applications after December 1 in either seedling or established grass seed stands. Use a minimum of 20 gallons per acre of water at 30 - 40 psi.

If additional control is required in the spring, one spring broadcast application may also be made.

**SPRING APPLICATION**

**Broadcast:** Apply Cheetah to actively growing grass seed fields in the 4 - 6 tiller growth state at a rate of 16.5 - 20 fluid ounces per acre. Do not make applications after April 1 except when severe weed pressure necessitates control.

**Hooded or Shielded Directed Spray**

To avoid excessive crop phytotoxicity, use a hooded or shielded sprayer. Apply by directing spray between rows and using shielded directed sprayers to prevent spray contact with crop plants. Adjust shields to prevent spray from contacting the crop. Apply 55 fluid ounces per acre with shielded directed spray when the weeds are less than 8 inches tall. Apply 82 fluid ounces per acre with shielded directed spray when the weeds are 8 inches or taller.

**RESTRICTION:**

DO NOT graze in treated areas for one year (365 days) following application.

If you make a hooded or shielded direct spray application, do not also make a broadcast application.

DO NOT make more than one hooded or shielded direct spray application per crop year.

DO NOT make more than two broadcast applications per crop year (one in the fall and one in the spring).

DO NOT apply this product aerially.

DO NOT apply this product through any type of irrigation system.

DO NOT allow product to drift off the intended field of grass grown for seed production. Drift control is the responsibility of the applicator. Refer to local state laws, regulations, and guidelines for proper application to avoid off-target movement.

**NOTICE**

Nufarm intends that pursuant to this FIFRA Section 24(c) label, this product (Cheetah Herbicide) be distributed only to those end users who agree in advance to the following terms and conditions of Nufarm relating to the use of this product for this end use. Such terms and conditions include release from all liability and indemnification of Nufarm by the user and/or grower for failure to perform and/or crop damage from the use of this product on grass grown for seed production only.

If the preceding terms and conditions are unacceptable, do not open the product. Return the unopened Cheetah Herbicide immediately.



**Nufarm** 11901 S. Austin Ave. Alsip, IL 60803 Ph# (800) 345-3330

This product, when used on grass grown for seed production may lead to crop injury, loss or damage. Because of the risk of failure to perform or crop damage, all such use is at the user and/or grower's risk. Nufarm recommends that the user and/or grower test this product in order to determine its suitability for such intended use. Nufarm makes this product available to the user and/or grower solely to the extent the benefit and utility, in the sole opinion of the user and/or grower outweigh the potential injury associated with the use of this product. The decision to use or not to use this herbicide must be made by each individual user and/or grower on the basis of possible crop injury from this product, the severity and type of weed infestation, the cost of alternative weed controls and other factors. Nufarm will not be responsible for crop injury from tank mixtures of Cheetah Herbicide with other herbicides or adjuvants to grasses grown for seed production.

Read the "WARRANTY DISCLAIMER" and "LIMITATION OF LIABILITY" in the label booklet for this product before using this product. Those terms apply to this supplemental labeling and if those terms are not acceptable, return the product unopened at once.