

**Restrictions**

- Apply bait out of reach of children and pets
- **Food/Feed Handling Establishments:** Do not apply gel bait to areas where food/feed, food utensils, or food processing surfaces may become contaminated, and in cracks and crevices of areas that are routinely washed (tops of tables food/feed preparation, and prepared food/feed holding surfaces, as bait may be removed by washing).
- Do not spray the gel bait with an insecticide or place bait on surfaces freshly sprayed with insecticides, as it may cause the bait to become repellent.
- Do not apply gel bait in areas where there is risk of electrical shock.
- Do not apply gel bait to linden, basswood or other Tilia species.
- Avoid applying to textiles and porous surfaces to prevent staining.

**STORAGE AND DISPOSAL**

DO NOT contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a cool, dry place inaccessible to children and pets.

**PESTICIDE DISPOSAL and CONTAINER HANDLING:** Non-refillable container. Do not reuse this container. **If empty:** Offer container for recycling, if available, or place in trash if allowed by state and local regulations. **If partially filled:** Call your local solid waste agency for disposal instructions.

**WARRANTY**

Read the entire Directions for Use and Warranty before using this product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. The seller is committed to providing high quality products. To the extent consistent with applicable law, the seller makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, the manufacturer or the seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.

In Case of Emergency, call: 1-800-498-5743  
Non-Emergency call: 1-800-621-8829

Manufactured For: Chem-Tech, Ltd.™  
1006 Business Highway 5  
Pleasantville, IA 50225 U.S.A.

L7604-1121



**SureKill<sup>®</sup> ANT GEL BAIT**

*SureKill Ant Gel Bait is a ready-to-use insecticide product that controls ants, through the exchange of food bait within the ant colony*

- **Resists drying out and remains palatable for ants**
- **Precise bait placement, without the mess and odor**
- **Use Indoors and outdoors**

**KILLS:** Ants (excluding carpenter, fire, and harvester ants), but includes Argentine ants (*Linepithema humile*), black ants (*Lasius niger*), Pharaoh ants (*Monomorium pharaonis*) and other species.

**STOP – READ THE LABEL BEFORE USE  
KEEP OUT OF REACH OF CHILDREN  
CAUTION**

<b>ACTIVE INGREDIENT:</b>	
Imidacloprid.....	0.01%
<b>OTHER INGREDIENTS:</b> .....	99.99%
<b>TOTAL</b> .....	100.00%
EPA Reg. No. 92028-2-47000 EPA Est. No.92418-ESP-1	

**Net Contents:** 1.4 oz (40 g) cartridge

SPECIMEN LABEL

# SureKill<sup>®</sup> ANT GEL BAIT

SureKill Ant Gel Bait is a ready-to-use insecticide product that controls ants, through the exchange of food bait within the ant colony

- Resists drying out and remains palatable for ants
- Precise bait placement, without the mess and odor
- Use Indoors and outdoors

**KILLS:** Ants (excluding carpenter, fire, and harvester ants), but includes Argentine ants (*Linepithema humile*), black ants (*Lasius niger*), Pharaoh ants (*Monomorium pharaonis*) and other species.

**FOR USE IN AND AROUND STRUCTURES AND OUTDOOR TREATMENTS:** Residential, Commercial, Industrial, Food/Feed Handling Establishments (non-food/feed areas), Restaurants, Hospitals and Nursing Homes (Non-patient Areas), Hotels, Motels, Agricultural Buildings, Office Buildings, Schools, Transportation Equipment (Buses, Cargo Trucks, Trailers, Trains), Sewers, Animal Rearing Establishments, and Warehouses.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label. Use strictly in accordance with label precautionary statements and directions.

Use SureKill Ant Gel Bait as a spot or crack and crevice treatment for the indoor and outdoor (adjacent to homes & structures) control of ants (excluding carpenter, fire, and harvester ants) in residential areas and the non-food/non-feed areas of institutional, warehousing and commercial establishments, including warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, apartment buildings, bakeries, beverage plants, breweries, bottling facilities, candy plants, canneries, cereal processing and manufacturing plants, dairies and dairy product processing plants, frozen food plants, schools, laboratories, computer facilities, sewers, aircraft, buses, boats/ships, trains, homes, houses, industrial buildings, office buildings, kennels, kitchens, manufacturing facilities, spice plants, stores, wineries and similar structures, mausoleums, meat processing and packaging plants, meat and vegetable canneries, pet shops, and zoos. Non-food/non-feed areas include bedrooms, living rooms, bathrooms, closets, media rooms, garbage rooms, lavatories, entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling). This product may also be used in food/feed areas of food/feed handling establishments as outlined below.

Product may stain textiles, fabrics, and or porous surfaces.

### USE RESTRICTIONS:

- USE ONLY IN AREAS NOT EASILY ACCESSIBLE TO CHILDREN AND PETS.
- Do not treat food preparation surfaces. Keep gel away from foods and food contact surfaces.
- Do not apply bait gel to areas which have been recently sprayed with insecticide, and do not spray insecticide over gel as it may cause the bait to become repellent.
- Place bait out of reach of pets.

### APPLICATION DIRECTIONS:

Wear long sleeved shirt, long pants, shoes, and socks when applying the product. Application rate for all uses: Apply bait as rounded spots or thin beads into cracks and crevices or as a spot treatment at a rate of 0.066 ounces (4 drops) per square yard. Place bait close to foraging ant trails, and areas of activity. Numerous smaller bait placements provide faster control than fewer larger placements.

### Applicator Gun:

The applicator gun will produce a drop that is approximately 0.16 inches (approximately 1/8" or 4 mm) in diameter. Each drop weighs approximately 0.0014 ounce (0.04 grams).

Use the table below to match the application rates according to the area being treated.

Ant Species	Label Application Rate Oz. (drops)/sq yd	Label Application Rate Oz. (drops)/100 sq ft
Black, Argentine, Pharaoh and other ant species excluding carpenter, fire, and harvester ants	0.006 (4)	0.066 (46-47)

Place bait under baseboards, sinks, countertops, seats, around water pipes, water heaters, dishwasher equipment, in crack and crevices as well as voids where insects harbor.

Applications in Food/Feed Handling Establishments: Application within food/feed areas of food/feed handling establishments is limited to crack and crevice treatment only. If bait contacts an exposed surface where food is handled, remove bait and wash exposed surface prior to use. Apply with bait injector directly into cracks and crevices. Apply small amounts of bait.

### Use Restrictions in Food/Feed Handling Establishments:

- Do not apply bait to areas where food/feed, utensils, or processing surfaces may become contaminated.
- Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation, and prepared food holding surfaces as bait may be removed by washing.
- Do not apply bait to surfaces where the temperature exceeds 130°F as bait may run. Examples include, but are not limited to, portions of stoves, ovens, grills, fume hoods, heat lamps, coffee urns, steam tables, toasters, fryers, dishwashers, and hot water pipes.
- Do not deposit gel onto exposed surfaces. If gel contacts and exposed surface, remove gel and wash exposed surface.
- Do not apply bait in food/feed areas of food/feed handling establishments other than as a crack and crevice treatment.

Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), stored waste; and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation. Apply bait in small amounts between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, behind and under refrigerators, cabinets, sinks, closets, stoves, and other equipment where ants hide. During follow-up visits inspect bait placements and reapply when necessary.

Bait placements should be at or near areas where ant activity is detected such as locations where the ant trails gain access to or leave a room, hidden or recessed areas where ant trails are noted. Numerous smaller strategically placed drops will provide faster control than fewer larger spots.

For outdoor use (adjacent to home-or-structure): Place bait in areas adjacent to structures where ants activity is noticed. Apply bait to potential points of insect entry, such as eaves, sills, and expansion joints. Apply bait in protected areas whenever possible. Environmental stresses such as direct sunlight and water will reduce the residual effectiveness. Priority treatment areas may be identified by visual inspection of such areas listed above or aided by trapping techniques or spot flushing.

Ready-To-Use Gel Bait	<p><b>Indoor Use:</b></p> <ul style="list-style-type: none"> <li>• Apply to cracks, crevices, wall voids, unfinished attics, crawl spaces and behind electrical switch plates, behind or beneath equipment, behind baseboards or molding, at openings into voids, and within hollow spaces in equipment bases and legs, walls, floors, ceilings, cabinets, near sinks or stoves, in bathrooms, and in garbage collection areas, around plumbing pipes, utility lines, doors, or windows.</li> <li>• Food/feed areas of food/feed handling establishments: receiving, storage, packing, stored waste, enclosed processing systems, and serving areas.</li> </ul>
	<p><b>Outdoor Use:</b></p> <ul style="list-style-type: none"> <li>• Apply to cracks and crevices (brick walls, between pavement slabs, in tree holes, under stones, etc.)</li> <li>• Apply next to ant trails and suspected areas of ant activity</li> <li>• Apply to point of entry into structures (along windows, doors, between construction elements, etc.), wires or pipes, and areas where ants may find water (eaves, soffits, weep holes, etc.)</li> <li>• At trees, stumps, roots, wood decks, fences, planter boxes, woodpiles, landscaping, and railroad ties.</li> </ul>
How to Use	<ul style="list-style-type: none"> <li>• Remove cap from tip and point at treatment area.</li> <li>• Squeeze tube to dispense gel.</li> <li>• Replace cap after use.</li> </ul> <p>Apply gel bait in areas of known foraging activity, along foraging trails, into nest sites and access to structures.</p> <p><b>Spot or Bead Treatments</b></p> <ul style="list-style-type: none"> <li>• Apply 0.6 grams per 10 linear feet along active foraging trails (spots/beads: 1/8" wide and 1 to 2" long)</li> </ul> <p><u>Indoor / Outdoor (cracks, crevices, holes, other small openings):</u></p> <ul style="list-style-type: none"> <li>• Apply up to 0.066 oz. (1.9 grams) or 46-47 drops per 100 square feet. Each spot is approximately 0.16 inches (1/8" or 4 mm) diameter in areas where ant activity is observed.</li> </ul> <p><u>Food/Feed Handling Establishments (non-food/feed areas only):</u></p> <ul style="list-style-type: none"> <li>• Crack and crevice treatments only.</li> </ul> <p>Inspect treated areas periodically for eaten bait and replace gel bait as needed.</p>