APPLICATIONS

All Poultry Species:

Administer in Water or Feed: 7-10 ml per bird during growth period.

Water Line Administration:

Tank mix a stock solution of 50:50 WellBird and non-chlorinated water. Administer on day 2 of set 1 oz WellBird stock solution to 128 oz non-chlorinated water in line every 7 days.

For use in all livestock and poultry species

For Best Results:

- Ensure tank is free of residue, if using chlorinated water, let tank sit for 24 hrs (with lid removed) before mixing.
- Clean sprayer and nozzles thoroughly with water or soap (do not use anti-bacterial) mixture.

Note: Storage temp (50-90 F). Mix with water. Due to the wide variety of uses and variations in severity of areas to be treated, specific application rates and procedures are best determined on a case by case basis. For assistance, please call Asido. (316) 371-9009.

- · Use only as directed on the label.
- · Shake well before using.
- · Keep out of the reach of children.
- Eye Contact: Flush with water/call physician.
- Skin Contact: Exposure may result in dry skin. Rinse/Apply lotion.
- Ingestion: May cause nausea or vomiting. Seek immediate medical attention.
- In case of spills disperse with water, treat like surfactant or soap spillage.



GUARANTEED ANALYSIS

Bacillus lichenformis Bacillus subtilis 1.0 × 106 CFU/mL 1.0 × 106 CFU/mL

INGREDIENTS

Microbes are NON-GMO and are derived from an organic approved yeast-based fermentation process.

ENVIRONMENTALLY SAFE TOTALLY ORGANIC & NON-PATHOGENIC

NOTICE: Seller warrants that the product conforms to its biological description but makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Consumer assumes all risk of use of this material when such use is contrary to the label directions.

O 2.5gal (21Lbs) 9.53Kg O 275gal (2310Lbs) 1048.75Kg

- MANUFACTURED FOR -----

ASIDO BIOLOGICALS Asidobiologicals.com

MADE IN THE USA

Not classified according to US GHS in compliance with OSHA 1200

LOT NO.____ DATE____